




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification ⁶ : A63F 9/22</p>	<p>A1</p>	<p>(11) International Publication Number: WO 99/10061</p> <p>(43) International Publication Date: 4 March 1999 (04.03.99)</p>
<p>(21) International Application Number: PCT/US98/17226</p> <p>(22) International Filing Date: 19 August 1998 (19.08.98)</p> <p>(30) Priority Data: 08/916,270 22 August 1997 (22.08.97) US</p> <p>(71)(72) Applicant and Inventor: CUMBERS, Blake, D. [US/US]; 2421 Ping Drive, Henderson, NV 89014 (US).</p> <p>(74) Agent: ANDERSON, Philip, J.; Quirk & Tratos, Suite 500 North, 3773 Howard Hughes Parkway, Las Vegas, NV 89109 (US).</p>		<p>(81) Designated States: AU, CA, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).</p> <p>Published <i>With international search report.</i></p>

(54) Title: PLAYER TRACKING AND IDENTIFICATION SYSTEM

(57) Abstract

A system and method is set forth for passively tracking the play of players playing gaming devices such as slot machines (34). Players (22) provide identification information and facial recognition data (24) as by a digital or video camera (20). For each player an account file and a file of the facial image is stored. When the player plays the slot machine, a camera (20') scans the player and acquires facial image data which is compared to stored data to identify the player.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

PLAYER TRACKING AND IDENTIFICATION SYSTEM

Field of the Invention

5 The present invention relates to systems and methods for identifying and tracking the play of players playing gaming devices such as slot machines.

Background of the Invention

10 It has been known in the past for casinos to track the play of gamblers for the purposes of determining a basis for rewarding players with compensation, referred to in the industry as "comps." These comps to high stake players may be in the form of cash gifts, meals, free rooms or the like. Providing these comp rewards a player for playing at the casino, maintains the gambler's loyalty to the casino and is
15 used to promote the casino.

In the past, the casinos typically only tracked players playing high stakes table games such as Baccarat and Blackjack. The casino would estimate the average wager per hand of the player, estimate the number of the hands or
20 decisions per unit time, e.g. per hour and, knowing the amount of time spent by the gambler, could reasonably approximate the amount wagered by the player during a gaming session. Based upon this amount, they would provide the gambler with suitable comps to reward him/her for that level
25 of play.

Recently casinos have begun to track players play of gaming machines such as slot machines, video keno, video

WO 99/10061

PCT/US98/17226

poker and the like for purposes of rewarding players with comps and for promotional purposes. To track players of these machines, casinos have installed computer-based player tracking systems. While the specifics of these systems may vary, their operating principles are generally the same.

Players who wish to be tracked, voluntarily enter the system through a sign-up procedure. The player gives their name and address or the like to identify the player and the player is issued a player's card having a machine readable element. The player's identity and card number are entered into the computer and a file is opened for the player. At each machine there is disposed a card reader for reading the player's card. These card readers of the machines communicate with the tracking computer. Additionally, each machine is adapted to issue data to the processor indicative of the player's play, e.g. the amount of each wager.

Thus, a player to be tracked inserts their card into the card reader for the machine they are going to play. The reader issues data to the processor which finds the player's file and places it an open condition. As the player plays the machine, the machine issues data to accumulate the total amount wagered by the player or some portion or ratio thereof during play, the accumulated value assigned or allocated to the player account file as what is commonly known as player "points." When the player reaches certain levels of points in their file, they become eligible for certain comps.

The above procedure has been used for table games as well. The player playing a table game hands their identification card to a dealer or manager who swipes the card through a card reader or manually enters the player's card number to place the player's file in an open condition. During play, typically the floor manager or pit boss, estimates the average amount wagered per hand for the player. When the player desires to leave, the manager through a data input device inputs the average amount wagered per hand and swipes the player's card through the card reader or manually closes the file which notes the elapsed time of play and based upon that elapsed time and the average wager assigns comp points to the player's account file.

There are several drawbacks to the tracking system described above. One drawback is that the system requires the player to have their identification card available for reading by a card reader. The player may forget their card and hence they are awarded no points during play. Further, the player may simply forget to insert the card into the card reader, again losing the ability to accumulate points toward comps. Still further, the system can be subject to abuse. A single identification card can be passed around to different players to build up points for the individual player's account. There is no means to confirm whether or not the card being presented is actually the card of the person to whom it was issued. Still further, there is no means to allocate points to unidentified players who later

WO 99/10061

PCT/US98/17226

decide that they want to be tracked. Unless the tracking system can read a card, no points are accrued for that player.

5 In a heretofore unrelated field, there has been developed certain technologies directed to passive identification of persons. For example, in Maeno U.S. Patent 5,283,644 issued February 1, 1994, the disclosure of which is hereby incorporated by reference, a crime prevention monitor system is set forth which has a stored image data base of the
10 facial images of persons authorized to have access to a particular area. When a person is sensed in this secure area, a camera obtains an image and compares that image to the stored data to confirm if the person is one of the authorized persons. If not, a signal is sent to authorities.

15 In U.S. Patent 5,012,522 issued April 30, 1991 to Lambert, the disclosure of which is hereby incorporated by reference, an autonomous face recognition system is set forth which is adapted to locate and recognize human faces from a video scene. The acquired facial image is broken into
20 separate windows and recognition is based upon a specific algorithm.

25 In U.S. Patent 5,432,864 issued July 11, 1995 to Lu et al., the disclosure of which is hereby incorporated by reference, there is shown an identification card system where data representative of a person's facial image is stored on a magnetic strip on a card for verification of the identity of the person carrying the card.

It would be highly desirable if a system and method could be devised which had the objects by which a player could be passably identified by certain inalterable facial features for purposes of providing data for player tracking, for allocation of previously acquired points to new players which were previously identified and to assist in spotting undesirables such as slot cheats.

Summary of the Invention

There is, therefore, set forth according to the present invention a method and system to obtain the objects set forth above and others by providing a player tracking system which includes passive player identification, which can allocate previously accumulated data to a newly identified player and which can assist in spotting suspicious individuals or suspected cheats and which overcomes the problems and drawbacks set forth above.

Toward this end, a method is set forth for tracking selected parameters of play of a player playing a wagering game which includes inputting and storing reference informational data from a player including player identification data and matching facial identification data into a data processor memory to form a library of files of identified players and their corresponding facial images. When a player plays a game, such as a slot machine, the player is scanned at the machine by a digital or video camera to acquire and develop a digital image of the player's face. That image is transmitted to the processor which compares the

WO 99/10061

PCT/US98/17226

data to the stored data corresponding to the facial images to determine if the acquired image corresponds to a stored facial identification data to identify the player. If the received acquired image corresponds to the facial identification data of a player of the library, the processor opens the identified player's file to receive and store data relating to the parameter of play. If the received image does not correspond to the facial identification data of a player of the library, the processor creates a doe memory file and stores in that memory file the digital image as well as opening a corresponding doe file to receive game parameter data. The method further includes sending at least one parameter of play, e.g. the amount wagered, to the processor, the processor storing the game parameter data in the corresponding player's file.

The system for tracking a parameter of play of a player includes a processor having a first data storage device, the data storage device including for each player to be tracked personal reference data and a digital facial image data. A digital image acquirer is provided such as a digital or video camera at the game being played to acquire a digital image of the face of the player playing the game. Means are provided for inputting a digital parameter signal representative of the parameter of play to be tracked by the system such as data transmitted from the machine being played by the player to the processor indicative of the amount wagered by the player. The processor includes means for comparing the

acquired digital image to the stored facial images of the first data storage device to determine whether the acquired facial image matches a stored facial image to identify the player. If a match is found, the processor assigns the parameter of play data to the identified player's file.

The method and system according to the present invention therefore permits for passive identification of the player. The player need not present an identification card to be tracked. To sign up for the tracking system, a player merely need only provide identification data, such as name and address as well as permit the acquisition of a digital facial image of the player such as by sitting in front of a digital or video camera. The data and image are thereafter stored in the tracking system processor for future comparison and allocation of points. At each machine the digital image acquirer can identify the player and allocate parameters of play to the player's file without the use of any identification card.

Furthermore, a player which had not previously signed up to be tracked, can have previously acquired points assigned to their file. When their file is opened, any points which may have been assigned to this player under a doe file are transferred to the player's file whereby the player does not forfeit any points which they may have acquired prior to signing up for the system.

Still further, if an image library of known cheats or undesirables is also provided, the acquired facial images can

be compared to identify such persons playing the games at the casino.

Brief Description of the Drawings

These and other features and advantages, will become
5 better appreciated as the same becomes better understood with reference to the claims, specification and drawings wherein:

FIG. 1 is an illustration of the system and method of the present invention for persons to be signed up to the system;

10 FIG. 2 is an illustration of one embodiment of the present invention for passive identification and tracking of player's play at a gaming device; and

FIG. 3 is an illustration of yet another embodiment of the system and method for passive identification of a player
15 and tracking of a parameter of play of a gaming device.

Description

Turning to the drawings, FIG. 1 illustrates the system and method according to the present invention for initially acquiring the digitized facial images of players for tracking
20 play of the players while playing a gaming device or table game for the purposes of determining awards, promotions or comps to be given to the player based upon play. While the description as hereinafter set forth is directed to the player playing an electronic gaming device such as a slot
25 machine, it is to be understood that it could be used as well with table games as long as the player is positioned such

that a digitized image of the player's face can be acquired according to the present invention.

The system 10 includes a data entry station 12 including a processor 14 having therewith a display monitor 16 and data entry means such as a keyboard 18. The processor 14 may be any suitable personal computer and it should be understood that multiple stations 12 could be used to input and manipulate data according to the method and system of the present invention.

The system 10 includes means for acquiring a digitized image of a person's face which may be a digital camera 20 or a video camera whose video image is processed to define a digitized image. While the camera 20 scans the person's face in the visible wavelengths of the electromagnetic spectra, other wavelengths could be used such as infrared or the like to obtain an identifiable image of the player. As illustrated in FIG. 1, a person 22 who wishes to have their play of games tracked poses and the image of their face 24 is acquired by the camera 20, processed and stored in a suitable data structure for purposes which will hereinafter become evident. The acquired image is displayed at the monitor display 16 and the attendant assures that a clear and correct image is obtained. The processor 14 processes the digital image of the person's face to obtain a gestalt facial image in the manner as suggested by Lambert U.S. Patent No. 5,012,522 or to isolate or highlight data corresponding to unalterable features of the face 24 such as spacings between

eye pupils, mouth shape, configuration of the eyes, nose and mouth. Preferably the processor 14 processes the digital image to form facial identification data representing substantially unalterable and inconcealable features of an individual's face whereby changes in hair color or style, growth of beards or a mustache or wearing glasses will not preclude identification of the individual. This data as shown in FIG. 1 is stored for each individual in a facial identification data (FID) library 26 of facial identification data entries illustrated as 28a-d maintained at a player tracking or host processor 29. It is to be understood that while only three facial identification data entries 28a-d are shown, that the FID library 26 would have any number of data entries depending upon the number of persons who wish to be entered into the system.

At the station 12, data is also input by using the keyboard 18 to identify the player by , for example, name and address of the player and signals are issued to open a player account file, for example, account file 30a at the host processor 29 which is stored in a suitable data structure hereinafter referred to as player account library 32. Each of the account files 30a-d corresponds to a facial identification data entry 28a-d.

With the FID library 26 and a player account file library 32 thus created, in the host processor 29 data structure, the system 10 and method according to the present invention can be operated.

Turning to FIG. 2, to track a person's play at a gaming device 34 shown as a slot machine, the person 22 sits in front of the device 34 in the manner suggested. A digital or video camera 20' is provided on or proximate to the gaming device 34 and is directed to acquire an image of the face of the person playing the device 34. Accordingly, the camera 20' may be mounted on the device 34 or may be incorporated therewith. As can be appreciated, since the device 34 has a game monitor 36, the person's face in playing the gaming device 34 will be in a range of positions in relation thereto suitable for acquisition of the player's facial image.

The digital or video camera 20' acquires an image of the person's face and sends that signal to the host processor 29. The acquired image may be digitized or processed, as suggested in Lambert U.S. Patent No. 5,012,522 to isolate the person's face from any background images. The host processor 29 at 38 compares the acquired digital image of the person's face to the facial identification data entries 28a-d stored in the FID library 26. As suggested in FIG. 2, if the acquired image substantially corresponds to a stored image entry, the identified player's account file, shown as account file 30a, is placed into an open condition to receive the parameter of play from the gaming device 34 being played by the player. A signal 40 is transmitted from the device 34 indicative of the desired parameter of play. As illustrated in FIG. 2, this desired parameter of play may be the wagers made by the player at the device 34. In a known manner, each

WO 99/10061

PCT/US98/17226

time the player makes a wager at the device 34, a data signal is generated indicative of the amount of the wager. Thus, as a player inputs coins or tokens into the device 34 to play, signals 40 are issued to the host processor 29. The host processor 29 at 42 allocates the parameter of play, e.g. wagers or portions thereof or points related to the amounts wagered (hereinafter referred to as points), to the opened data file 30a which has been opened for the identified player. In this fashion, data corresponding to the player's accrued points can be assigned to the identified players account file 30a.

As further can be appreciated, since the acquisition of the facial image data and comparison at 38 is adapted to compare data which is substantially unalterable, the correct allocation of points to the player's account file 30a-d is maintained. Furthermore, the player need do nothing other than sit at the device 34 and play. The system 10 and method according to the present invention passively acquires the user's facial image and in response to recognition of the player opens up the corresponding account file 30a-d to allocate points.

With continuing reference to FIGs. 1 and 2, the host processor 29 may also include a security file library 44 of stored facial identification data images 46a-c for persons such as known slot cheats or other undesirables. This data may be stored, as referred to above, in the host processor 29

data structure or may be acquired and accessed from an outside vendor such as a security service.

With reference to Fig. 1, when a person desires to be included into the system 10 for tracking of play, the system 10 at 48 compares the acquired facial identification data to the data stored in the security file library 44 to determine if the acquired image of the person corresponds to any of the facial identification data entry 46a-c stored in the security file library 44. If there is no correspondence, the facial identification data is stored in the manner described above and a corresponding account file is opened at the data structure. If there is a correspondence, a signal at 50 is sent to security who may then handle the situation by confirming whether or not the individual is an undesirable or slot cheat. If the person is not, the operator of the system 10 at the station 12 and more particularly by keyboard 18 can override the security signal to store the acquired facial identification data and open the account file.

Further with reference to FIG. 2, when a person plays a gaming device 34, if the person's acquired facial identification data does not correspond to facial identification data stored in FID library 26, the acquired facial identification data is assigned a doe file entry 52a-b in a doe library 54 and the acquired facial identification data is stored in the manner described above with reference to the FID library 26. As can be appreciated, the doe library 54 of facial identification data, while shown as only

WO 99/10061

PCT/US98/17226

including two doe data file entries 52a-b, can have any number. Furthermore, a corresponding doe account file 56a-b is opened in a doe account library 58 which receives the parameter data and stores the same in the manner described

5 above. Hence, even though the person has not heretofore been identified as by agreeing to enter into the system to have their play tracked, a doe facial identification data file entry, for example entry 52a, for the person and a corresponding doe account file 56a are opened for the player.

10 As this new "doe" player plays, the accrued points are allocated to the corresponding account file.

Hence forward, each time this "doe" player plays the gaming device 34 which is incorporated into the system 10, the system 10 first compares the acquired facial image data to the facial identification data stored at FID library 26 and if no corresponding facial images obtained, compares to the facial identification data contained in the doe library 54. If a corresponding facial image doe file entry 52a-b is retrieved, the corresponding doe account file 56a-b is opened and the accrued points during play of the gaming device 34 is allocated to that file. Again, if the player is neither identified at the FID library 26 or at the doe facial identification library 54, the acquired facial image data is assigned a new doe facial identification data entry and corresponding doe account file. Thus, over time, a library of images can be obtained so that points can be allocated. Furthermore, when a "doe" player is detected, their

corresponding account file can be interrogated and if deemed appropriate the person can be approached by personnel to determine if they would like to have personal identification data entered into the system 10 so that their accrued points can be allocated to a known individual.

With reference to FIG. 2, it is also shown that the system 10 can be used to determine whether or not the person playing the gaming device is potentially an undesirable or slot cheat. As shown, the acquired facial identification data as acquired by digital camera 20', if it does not correspond to facial identification data entered into the FID library 26, is tested against FID data stored in the security file library 44. If a correspondence occurs, a signal at 60 is sent to security so that they can monitor or otherwise handle the situation. If not, the facial identification data is processed in the manner described above.

With reference to FIG. 3, the system 10 and method of the present invention is shown as being used with known player tracking systems. Like components bear the same reference numerals.

As shown, associated with the gaming device 34 is a card reader 62 of known construction by which a player inserts an identification card (not shown) issued in the traditional manner. Hence in the playing of the device 34, the player inserts their card and begins playing the device 34 whereby the insertion of the card opens up the corresponding player's tracking account file 61a-d in a tracking data structure 73,

WO 99/10061

PCT/US98/17226

shown as data file 61a, and allocates the points accrued during play of the device 34 thereto. When the player leaves the device 34, and removes their card from the card reader 62, the player's tracking account file 61a is closed.

5 According to the system and method of the present invention, means are provided to acquire facial image data of the player playing the device 34. Accordingly, a digital or video camera 20' may be provided on the gaming device 34. The acquired image is compared at 64 to the identification
10 data entries 28a-d of the FID library 26 to determine whether or not the acquired facial identification data corresponds to stored facial identification data. If a concordance occurs, the host processor 29 confirms that this is the person who was issued the identification card and if so, opens the
15 corresponding account file 61a. If not, as described above, the acquired image is compared at 48 against the library of images maintained in the security file library 44 to see if the person is a known undesirable or slot cheat. If so, a signal 70 is sent to security to address the situation. If
20 not, the signal is compared at 66 with any previously acquired doe images and if so open up the corresponding doe account file in the manner described above. If no corresponding doe file is acquired, the facial identification image data is assigned at 66 and stored in a corresponding
25 new doe account file which is opened and the points are allocated thereto.

As can be appreciated, the system and method according to the present invention enables players to have points accrued during gaming of the device 34 or for that matter a table game where facial images can be acquired, to the corresponding account data file whether or not the person has identification card or not. Furthermore, the system 10 provides a means to allocate acquired points to persons heretofore not identified by the system in dummy or doe files. With reference to the data representing the points accrued to a doe account 56a-b, should the person desire to join in the system 10, when they do so, with reference to FIG. 1, the system 10 compares the acquired image at 66 with doe image data entries 52a-b and if a corresponding image is found, the accrued points are transferred at 72 to a now, player identified, account file 61a.

While I have shown and described certain embodiments of the present invention, it is to be understood that it is subject to many modifications and changes without departing from the spirit and scope of the claims presented herein.

I CLAIM:

1. A method for tracking selected parameters of play of a player playing a wagering game comprising:

inputting and storing reference informational data from
5 each player including player identification data and matching facial identification data into a data processor memory to form a library of files of identified players and their corresponding facial images;

during play of the game scanning the player thereof to
10 acquire a digital image of the player's face;

transmitting said acquired digital image to said processor;

providing data to the processor identifying the game played by the player;

15 said processor matching the received digital image to the data identifying the game being played by the player;

said processor comparing said received acquired digital image data to said facial identification data of said library to determine if acquired digital image corresponds to said
20 stored facial identification data to identify the player;

if said received acquired digital image corresponds to the facial identification data of a player of said library, said processor storing in the memory of the player's file the game identification data and the corresponding player
25 identification to match the identified player to an identified game;

if the received digital image does not correspond to the facial identification data of a player of said library, said processor creating a doe memory file and storing in the doe memory file the digital image and game identification data; and

5 sending at least one parameter of play of the identified game to said processor, said processor matching the parameter to the player's file to store parameter of play data allocated to the player playing the game.

10 2. The method of claim 1 wherein the game is a slot machine wherein the player plays the game by inputting a wager into the machine, the method including sensing each wager made by the player during play of the machine and generating signals corresponding thereto, sending the wager corresponding
15 signals to said processor, said processor matching the wagering signals to the player's file to track the wagering by the player at the machine.

20 3. The method of claim 1 the game is a slot machine wherein the player plays the game by inputting a wager into the machine, the method including locating a camera on the machine at a position to scan the player playing the machine to acquire the digital image of the player.

25 4. The method of claim 1 further including giving the player an instrument including machine readable player identifying data, storing in the processor memory files data corresponding to each player assigned an instrument, locating the instrument at an instrument reader at the game played by

the player, said reader sending data signals to the processor corresponding to the readable identifying data, said processor comparing the data signals sent which correspond to the readable identifying data and facial identification data to identify the player and his data file and confirm allocation of parameter data to a player's file.

5 The method of claim 1 further including inputting and storing reference informational data from each player including player identification data and matching facial identification data into a data processor memory to form a library of files of identified players and their corresponding facial images, comparing the inputted facial identification data to any previously acquired facial identification data files assigned a doe identification and if there is a match, said processor allocating all game parameters previously allocated to the corresponding doe file to the corresponding player file.

10 6. The method of claim 1 including sending wagering data as the parameter of play.

20 7. The method of claim 1 including sending wagering data per unit time as the parameter of play.

8. A system for tracking a parameter representative of the play of a player playing a wagering game comprising:

25 a processor having a first data storage device, said first data storage device including for each player to be tracked personal reference data and digital facial image data;

an image acquirer adapted to, at the game being played, acquire digitized image data of the face of a player playing the game;

5 means for inputting a digital parameter signal representative of the parameter of play to be tracked by the system;

a data link to transmit said acquired image and said parameter signals to the processor; and

10 said processor including means for comparing the acquired digital image to the stored facial images of the first data storage device to determine whether the acquired facial image matches a stored facial image to identify the player, if said match is found said processor assigning the parameter of play to the identified player.

15 9. In a system for allocating to a player account the wagering activity of said player playing an electronic gaming device of the type having adapted to generate bet data representative of each wager made by the player, a player tracking processor, a memory structure including for each
20 player an account file including personal data to identify the player and historical wagering activity data for the player, means for identifying each machine and communicating the bet data to the tracking processor and means for allocating the bet data to a player's account for recording
25 said historical wagering activity, the improvement comprising:

WO 99/10061

PCT/US98/17226

a player identifying data processor having for each player a memory structure including (i) digital facial image data of said player and (ii) corresponding player identification data;

5 an image acquirer at each machine to acquire digitized facial image data of the player playing the machine;

a first data link to transmit said image data to said processor;

10 means for generating a signal identifying the machine which is the source of the acquired facial image data;

said processor including means for comparing the acquired image data to the image data of the memory structure to determine if the acquired image data corresponds to the stored image data to identify the player;

15 means for the identifying data processor to communicate with the player tracking processor; and

means for, if the player is identified, directing the bet data from the identified machine to the identified player's account file.

FIG. 1




FIG. 2





FIG. 3



INTERNATIONAL SEARCH REPORT

International application No.
PCT/US98/17226

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) :A63F 9/22

US CL :463/16

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 463/16, 31, 1

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 5,595,389 A (PARULSKI et al.) 21 January 1997, whole document.	1-9
Y	US 5,580,308 A (NAKAMURA) 03 December 1996, whole document.	1-9
Y	US 5,553,864 A (SITRICK) 10 September 1996, whole document.	1-9
Y	US 4,710,873 A (BRESLOW et al) 01 December 1987, whole document.	1-9

☐ Further documents are listed in the continuation of Box C.
 ☐ See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
A document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
B earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	* & * document member of the same patent family
O document referring to an oral disclosure, use, exhibition or other means	
P document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

08 OCTOBER 1998

Date of mailing of the international search report

29 OCT 1998

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

MICHAEL O'NEILL

Telephone No. (703) 308-
Technology Center 3700